ELSEVIER

European Journal of Pharmacology 257 (1994) 315–317

ejp

Author index

Aguirre, J.A., see Narváez, J.A. (257) 257
Akaoka, I., see Yamanouchi, T. (257) 39
Allescher, H.-D., see Kurjak, M. (257) 169
Antunes, E., see Giraldelo, C.M.M. (257) 87
Avenet, P., see Biton, B. (257) 297

Baran, H., see Wlaź, P. (257) 217
Bartoszyk, G.D., see Seyfried, C.A. (257) 67
Bidzinski, A., see Plaznik, A. (257) 293
Biton, B., Granger, P., Carreau, A., Depoortere, H., Scatton, B. and Avenet, P.
The NMDA receptor antagonist eliprodil (SL 82.0715) blocks voltage-operated Ca^{2+} channels in rat cultured cortical neurons (257) 297
Bohn, H., see Martorana, P.A. (257) 267
Brown, A., see Vemulapalli, S. (257) 95
Buckner, C.K., see Kusner, E.J. (257) 285

Callahan, P.M. and Cunningham, K.A.
Involvement of 5-HT_{2C} receptors in mediating the discriminative stimulus properties of *m*-chlorophenylpiperazine (mCPP) (257) 27
Caminiti, G.N., see DeWitt, B.J. (257) 303
Caporali, M.G., see Popoli, P. (257) R5
Carneiro, R.C.G., Toffoleto, O., Cipolla-Neto, J. and Markus, R.P.
Modulation of sympathetic neurotransmission by melatonin (257) 73
Carreau, A., see Biton, B. (257) 297
Chen, C.-F., see Chiou, W.-F. (257) 59
Cheng, D.Y., see DeWitt, B.J. (257) 303
Chiou, W.-F., Chou, C.-J., Liao, J.-F., Sham, A.Y.-C. and Chen, C.-F.
The mechanism of the vasodilator effect of rutaecarpine, an alkaloid isolated from *Evodia rutaecarpa* (257) 59
Chiu, P.J.S., see Vemulapalli, S. (257) 95
Chou, C.-J., see Chiou, W.-F. (257) 59
Cicala, C., see Wallace, J.L. (257) 249
Cipolla-Neto, J., see Carneiro, R.C.G. (257) 73
Cirino, G., see Giraldelo, C.M.M. (257) 87
Cirino, G., see Wallace, J.L. (257) 249
Clapham, J.C., Trail, B.K. and Hamilton, T.C.
K^+ channel activators, acute glucose tolerance and glibenclamide-induced hypoglycaemia in the hypertensive rat (257) 79
Clarke, G.D., MacPherson, I.S., Petrone, G. and Spangler, R.S.
Antinociceptive effects of non-steroidal anti-inflammatory drugs in a rat model of unilateral hindpaw inflammation (257) 103
Classen, M., see Kurjak, M. (257) 169
Coates, J., see Gardner, C.J. (257) 117
Cordeiro, R.S.B., see Zuany-Amorim, C. (257) 211
Coy, D.H., see DeWitt, B.J. (257) 303
Cunningham, K.A., see Callahan, P.M. (257) 27

Danilov, A.F., Gmiro, V.E. and Fedorov, D.J.
In search of new neuromuscular blocking drugs with quick onset and short duration of effect (257) 1
Dannals, R.F., see Villemagne, V.L. (257) 195
Dassaud, M., see Diop, L. (257) 181
Dea, D.M., see Kusner, E.J. (257) 285
DeHaas, C.J., see Kusner, E.J. (257) 285
Delbro, D.S., see Gustafsson, B.I. (257) 227
De Luca, I.M.S., see Giraldelo, C.M.M. (257) 87
De Nucci, G., see Giraldelo, C.M.M. (257) 87
Depoortere, H., see Biton, B. (257) 297
Desmonts, J.-M., see Mantz, J. (257) R7
Dethy, S., see Pauwels, T. (257) 53
DeWitt, B.J., Cheng, D.Y., Caminiti, G.N., Nossaman, B.D., Coy, D.H., Murphy, W.A. and Kadowitz, P.J.
Comparison of responses to adrenomedullin and calcitonin gene-related peptide in the pulmonary vascular bed of the cat (257) 303
Diaz, Z., see Narváez, J.A. (257) 257
Diop, L., Rivière, P.J.M., Pascaud, X., Dassaud, M. and Junien, J.-L.
Role of vagal afferents in the antinociception produced by morphine and U-50,488H in the colonic pain reflex in rats (257) 181

Edwards, J.V., see Manzanares, J. (257) 199

Fedorov, D.J., see Danilov, A.F. (257) 1
Frost, J.J., see Villemagne, V.L. (257) 195
Fukui, H., Yamamoto, M., Sasaki, S. and Sato, S.
Possible involvement of peripheral 5-HT_4 receptors in copper sulfate-induced vomiting in dogs (257) 47
Fuxe, K., see Narváez, J.A. (257) 257

Gardner, C.J., Twissell, D.J., Coates, J. and Strong, P.
The effects of GR79236 on plasma fatty acid concentrations, heart rate and blood pressure in the conscious rat (257) 117
Garratt, H., see White, D.G. (257) 307
Giraldelo, C.M.M., Zappellini, A., Muscará, M.N., De Luca, I.M.S., Hyslop, S., Cirino, G., Zatz, R., De Nucci, G. and Antunes, E.
Effect of arginine analogues on rat hind paw oedema and mast cell activation in vitro (257) 87
Gmiro, V.E., see Danilov, A.F. (257) 1
Goldman, S., see Pauwels, T. (257) 53
González-Barón, S., see Narváez, J.A. (257) 257
Gores, R.-J.J., see Santing, R.E. (257) 145
Granger, P., see Biton, B. (257) 297
Griffith, K.E., see Tschanz, J.A.T. (257) 161
Griscti, K., see Vemulapalli, S. (257) 95
Grisham, M., see Wallace, J.L. (257) 249
Gruetter, C.A., Lemke, S.M., Valentovic, M.A. and Szarek, J.L.
Evidence that histamine is involved as a mediator of endothelium-dependent contraction induced by A23187 in bovine intrapulmonary vein (257) 275
Gustafsson, B.I. and Delbro, D.S.
Neurogenic inhibition of duodenal and jejunal motility in the anaesthetized rat (257) 227

Hamilton, T.C., see Clapham, J.C. (257) 79
Haracz, J.L., see Tschanz, J.A.T. (257) 161
Hattori, H., see Hayakawa, T. (257) 131
Hayakawa, T., Higuchi, Y., Nigami, H. and Hattori, H.
Zonisamide reduces hypoxic-ischemic brain damage in neonatal rats irrespective of its anticonvulsive effect (257) 131
Hedlund, P.B., see Narváez, J.A. (257) 257
Heidari, M.-R., see Zarrindast, M.-R. (257) 13
Henning, R., see Martorana, P.A. (257) 267
Henzel, D., see Mantz, J. (257) R7
Herting, R.L., see Quartermain, D. (257) 7
Higuchi, Y., see Hayakawa, T. (257) 131
Hirasawa, Y., see Kita, Y. (257) 123
Ho, I.K., see Jaw, S.P. (257) 153
Hoskins, B., see Jaw, S.P. (257) 153
Hyslop, S., see Giraldelo, C.M.M. (257) 87

Im, W.B., see Ito, C. (257) 203
Ito, C., Im, W.B., Takagi, H., Takahashi, M., Tsuzuki, K., Liou, S.-Y. and Kunihara, M.
U-92032, a T-type Ca^{2+} channel blocker and antioxidant, reduces neuronal ischemic injuries (257) 203

Jaw, S.P., Makimura, M., Oh, K.W., Hoskins, B. and Ho, I.K.
Involvement of κ-opioid receptors in opioid dependence/withdrawal: studies using butorphanol (257) 153
Jeppsson, A.-B., Nilsson, E. and Waldeck, B.
Formoterol and salmeterol are both long acting compared to terbutaline in the isolated perfused and ventilated guinea-pig lung (257) 137
Jessa, M., see Plaznik, A. (257) 293
Jones-Humble, S.A. and Morgan, P.F.
High expression of nitrobenzylthioinosine-insensitive dipyridamole binding sites in postmortem human ependymal tissue (257) 311
Junien, J.-L., see Diop, L. (257) 181

Kadowitz, P.J., see DeWitt, B.J. (257) 303
Kettenbach, B., see Martorana, P.A. (257) 267
Kita, Y., Hirasawa, Y., Maeda, K., Nishio, M. and Yoshida, K.
Spontaneous nitric oxide release accounts for the potent pharmacological actions of FK409 (257) 123
Kohno, S., see Yamamura, H. (257) 235
Kojima, S., see Yamanouchi, T. (257) 39
Koss, M.C.
Histamine H_3 receptor activation inhibits sympathetic-cholinergic responses in cats (257) 109
Krell, R.D., see Kusner, E.J. (257) 285
Kunihara, M., see Ito, C. (257) 203
Kurjak, M., Allescher, H.-D., Schusdziarra, V. and Classen, M.
Release of bombesin-like immunoreactivity from synaptosomal membranes isolated from the rat ileum (257) 169
Kurowski, S., see Vemulapalli, S. (257) 95
Kusner, E.J., Buckner, C.K., Dea, D.M., DeHaas, C.J., Marks, R.L. and Krell, R.D.
The 5-lipoxygenase inhibitors ZD2138 and ZM230487 are potent and selective inhibitors of several antigen-induced guinea-pig pulmonary responses (257) 285

Lanthorn, T.H., see Quartermain, D. (257) 7
Laudenbach, V., see Mantz, J. (257) R7
Lecharny, J.-B., see Mantz, J. (257) R7
Lemke, S.M., see Gruetter, C.A. (257) 275
Lever, J.R., see Villemagne, V.L. (257) 195
Liao, J.-F., see Chiou, W.-F. (257) 59
Liou, S.-Y., see Ito, C. (257) 203
Lookingland, K.J., see Manzanares, J. (257) 199
Löscher, W., see Wlaź, P. (257) 217
Luxen, A., see Pauwels, T. (257) 53

MacPherson, I.S., see Clarke, G.D. (257) 103
Maeda, K., see Kita, Y. (257) 123
Makimura, M., see Jaw, S.P. (257) 153
Mantz, J., Laudenbach, V., Lecharny, J.-B., Henzel, D. and Desmonts, J.-M.
Riluzole, a novel antiglutamate, blocks GABA uptake by striatal synaptosomes (257) R7
Manzanares, J., Edwards, J.V., Lookingland, K.J. and Moore, K.E.
MDL-101,562 blocks the stimulatory effects of bombesin and gastrin-releasing peptide on hypothalamic dopaminergic neurons (257) 199
Marks, R.L., see Kusner, E.J. (257) 285
Markus, R.P., see Carneiro, R.C.G. (257) 73
Martorana, P.A., Kettenbach, B., Bohn, H., Schönafinger, K. and Henning, R.
Antiischemic effects of pirsidomine, a new nitric oxide donor (257) 267
McKnight, W., see Wallace, J.L. (257) 249
Meurs, H., see Santing, R.E. (257) 145
Minoda, S., see Yamanouchi, T. (257) 39
Miyashita, H., see Yamanouchi, T. (257) 39
Monclus, M., see Pauwels, T. (257) 53
Moore, K.E., see Manzanares, J. (257) 199
Morgan, P.F., see Jones-Humble, S.A. (257) 311
Moromizato, H., see Yamanouchi, T. (257) 39
Mower, J., see Quartermain, D. (257) 7
Mundin, J.W., see White, D.G. (257) 307
Murphy, W.A., see DeWitt, B.J. (257) 303
Muscará, M.N., see Giraldelo, C.M.M. (257) 87

Nabe, T., see Yamamura, H. (257) 235
Narváez, J.A., Diaz, Z., Aguirre, J.A., González-Barón, S., Yanaihara, N., Fuxe, K. and Hedlund, P.B.
Intracisternally injected galanin-(1–15) modulates the cardiovascular responses of galanin-(1–29) and the 5-HT_{1A} receptor agonist 8-OH-DPAT (257) 257
Natarajan, T.K., see Villemagne, V.L. (257) 195
Nazar, M., see Plaznik, A. (257) 293
Nigami, H., see Hayakawa, T. (257) 131
Nilsson, E., see Jeppsson, A.-B. (257) 137
Nishi, S., see Yamada, S. (257) 243
Nishio, M., see Kita, Y. (257) 123
Nossaman, B.D., see DeWitt, B.J. (257) 303

Oh, K.W., see Jaw, S.P. (257) 153
Ohata, K., see Yamamura, H. (257) 235
Olymulder, C.G., see Santing, R.E. (257) 145

Pascaud, X., see Diop, L. (257) 181
Pauwels, T., Dethy, S., Goldman, S., Monclus, M. and Luxen, A.
Effect of catechol-*O*-methyl transferase inhibition on peripheral and central metabolism of 6-[^{18}F]fluoro-L-DOPA (257) 53
Petrone, G., see Clarke, G.D. (257) 103
Pèzzola, A., see Popoli, P. (257) 21
Pèzzola, A., see Popoli, P. (257) R5
Plaznik, A., Jessa, M., Bidzinski, A. and Nazar, M.
The effect of serotonin depletion and intra-hippocampal midazolam on rat behavior in the Vogel conflict test (257) 293
Popoli, P., Pèzzola, A. and Scotti de Carolis, A.
Modulation of striatal adenosine A_1 and A_2 receptors induces rotational behaviour in response to dopaminergic stimulation in intact rats (257) 21

Popoli, P., Pèzzola, A., Reggio, R., Caporali, M.G. and Scotti de Carolis, A.
CGS 21680 antagonizes motor hyperactivity in a rat model of Huntington's disease (257) R5
Poston, L., see Richards, N.T. (257) 189

Quartermain, D., Mower, J., Rafferty, M.F., Herting, R.L. and Lanthorn, T.H.
Acute but not chronic activation of the NMDA-coupled glycine receptor with D-cycloserine facilitates learning and retention (257) 7

Radhakrishnan, R., see Sim, M.K. (257) R1
Rafferty, M.F., see Quartermain, D. (257) 7
Ravert, H.T., see Villemagne, V.L. (257) 195
Rebec, G.V., see Tschanz, J.A.T. (257) 161
Reggio, R., see Popoli, P. (257) R5
Reuter, B., see Wallace, J.L. (257) 249
Richards, N.T. and Poston, L.
Effect of flosequinan on human small subcutaneous arteries (257) 189
Rivière, P.J.M., see Diop, L. (257) 181

Santing, R.E., Schraa, E.O., Vos, B.G., Gores, R.-J.J., Olymulder, C.G., Meurs, H. and Zaagsma, J.
Dissociation between bronchial hyperreactivity in vivo and reduced β-adrenoceptor sensitivity in vitro in allergen-challenged guinea pigs (257) 145
Sasaki, S., see Fukui, H. (257) 47
Sato, S., see Fukui, H. (257) 47
Scatton, B., see Biton, B. (257) 297
Schönafinger, K., see Martorana, P.A. (257) 267
Schraa, E.O., see Santing, R.E. (257) 145
Schusdziarra, V., see Kurjak, M. (257) 169
Scotti de Carolis, A., see Popoli, P. (257) 21
Scotti de Carolis, A., see Popoli, P. (257) R5
Sekino, N., see Yamanouchi, T. (257) 39
Seyfried, C.A. and Bartoszyk, G.D.
Sensitivity of dopamine D_2 receptors following long-term treatment with roxindole (257) 67
Sham, A.Y.-C., see Chiou, W.-F. (257) 59
Shinohara, T., see Yamanouchi, T. (257) 39
Sim, M.K. and Radhakrishnan, R.
Novel central action of des-Asp-angiotensin I (257) R1
Spangler, R.S., see Clarke, G.D. (257) 103
Strong, P., see Gardner, C.J. (257) 117
Sumner, M.J., see White, D.G. (257) 307
Sybertz, E.J., see Vemulapalli, S. (257) 95
Szarek, J.L., see Gruetter, C.A. (257) 275

Takagi, H., see Ito, C. (257) 203
Takahashi, M., see Ito, C. (257) 203
Tanada, S., see Villemagne, V.L. (257) 195
Toffoleto, O., see Carneiro, R.C.G. (257) 73
Trail, B.K., see Clapham, J.C. (257) 79
Tschanz, J.A.T., Griffith, K.E., Haracz, J.L. and Rebec, G.V.
Cortical lesions attenuate the opposing effects of amphetamine and haloperidol on neostriatal neurons in freely moving rats (257) 161
Tsuzuki, K., see Ito, C. (257) 203
Twissell, D.J., see Gardner, C.J. (257) 117

Valentovic, M.A., see Gruetter, C.A. (257) 275
Vallance, P.J., see White, D.G. (257) 307
Vargaftig, B.B., see Zuany-Amorim, C. (257) 211
Vemulapalli, S., Chiu, P.J.S., Griscti, K., Brown, A., Kurowski, S. and Sybertz, E.J.
Phosphoramidon does not inhibit endogenous endothelin-1 release stimulated by hemorrhage, cytokines and hypoxia in rats (257) 95
Villemagne, V.L., Frost, J.J., Dannals, R.F., Lever, J.R., Tanada, S., Natarajan, T.K., Wilson, A.A., Ravert, H.T. and Wagner, Jr., H.N.
Comparison of [^{11}C]diprenorphine and [^{11}C]carfentanil in vivo binding to opiate receptors in man using a dual detector system (257) 195
Vos, B.G., see Santing, R.E. (257) 145

Wagner, Jr., H.N., see Villemagne, V.L. (257) 195
Waldeck, B., see Jeppsson, A.-B. (257) 137
Wallace, J.L., Reuter, B., Cicala, C., McKnight, W., Grisham, M. and Cirino, G.
A diclofenac derivative without ulcerogenic properties (257) 249
Watts, I.S., see White, D.G. (257) 307
White, D.G., Garratt, H., Mundin, J.W., Sumner, M.J., Vallance, P.J. and Watts, I.S.
Human saphenous vein contains both endothelin ET_A and ET_B contractile receptors (257) 307
Wilson, A.A., see Villemagne, V.L. (257) 195
Wlaź, P., Baran, H. and Löscher, W.
Effect of the glycine/NMDA receptor partial agonist, D-cycloserine, on seizure threshold and some pharmacodynamic effects of MK-801 in mice (257) 217

Yamada, S., Yokoo, H. and Nishi, S.
Effects of *N*-ethylmaleimide on dopamine release in the rat striatum after repeated treatment with methamphetamine (257) 243
Yamamoto, M., see Fukui, H. (257) 47
Yamamura, H., Nabe, T., Kohno, S. and Ohata, K.
Endothelin-1 induces release of histamine and leukotriene C_4 from mouse bone marrow-derived mast cells (257) 235
Yamanouchi, T., Moromizato, H., Kojima, S., Shinohara, T., Sekino, N., Minoda, S., Miyashita, H. and Akaoka, I.
Prevention of diabetes by thymic hormone in alloxan-treated rats (257) 39
Yanaihara, N., see Narváez, J.A. (257) 257
Yokoo, H., see Yamada, S. (257) 243
Yoshida, K., see Kita, Y. (257) 123

Zaagsma, J., see Santing, R.E. (257) 145
Zappellini, A., see Giraldelo, C.M.M. (257) 87
Zarrindast, M.-R. and Heidari, M.-R.
On the mechanisms by which theophylline changes core body temperature in mice (257) 13
Zatz, R., see Giraldelo, C.M.M. (257) 87
Zuany-Amorim, C., Cordeiro, R.S.B. and Vargaftig, B.B.
Involvement of leukotrienes in allergic inflammation in mice (257) 211